




Soho shower combination 01
wall shower combination, stainless steel,
with wall shower and mixer one way valve


Soho douche combinatie 01
wanddouche combinatie, rvs, met
wanddouche en wand mengkraan 1 weg

700-6410 / 700-6412

installation





700-690X





700-210X

technical diagram





JEE-O soho wall shower



Article code:

700-6900

● RAW

700-6902

● 1.5 Electro powder spray hammercoated black

Material:

Stainless Steel r304

Cleaning instructions:

download JEE-O shower and taps manual
on our website: www.jee-o.com

Flow at water of 38°C:

12l p/m at 3Bar pressure

Pressure:

Recommended working pressure 3Bar

Connection:

G 1/2" (ø15mm / 0.6")
nylon^(out)/epdm⁽ⁱⁿ⁾ flexhose
with brass swivel
British Standard Pipe (BSP)

Thread:

Dimension package:

L 52 x W 34 x H 19 cm

Total weight:

3.8 kg

Package weight:

0.4 kg

7 year warranty – The general conditions can be
found on our website: www.jee-o.com/downloads

HS code:

84818011

Approvals:




JEE-O soho wall shower specifications | September 2023



Slight variations in the aesthetic appearance of the product, including the color, may occur after exposure to external influences such as sunlight, pollution or harmful chemicals




JEE-O soho mixer one way valve version



inlet hot inlet cold



middle off



right water spout



Article code:	700-2100 ● RAW 700-2102 ● 1.5 Electro powder spray hammercoated black	Connection: Thread:	3 x G 1/2" (Ø15mm / 0.6") British Standard Pipe (BSP)
Material:	European mirror glass (6mm) and Stainless Steel r304	Dimension package:	L 28 x W 20 x H 14 cm
Cleaning instructions:	download JEE-O shower and taps manual on our website: www.jee-o.com	Total weight:	2.8 kg
Cartridge:	Sedal ceramic mixing mechanism (progressive), item code 005-0104	Package weight:	0.3 kg
Flow at water of 38°C:	10l p/m at 3Bar pressure	7 year warranty - The general conditions can be found on our website: www.jee-o.com/downloads	
Pressure:	Recommended working pressure 3Bar	HS code:	84818011
		Approvals:	